

Code Updates July 2026 New Codes for One Care and Senior Care Options (SCO)

Not covered experimental and investigational:

90616	Influenza virus vaccine, trivalent (tIRV), mRNA, 37.5 mcg/0.38 mL dosage, for intramuscular use
90639	Influenza virus vaccine, quadrivalent (qIRV), mRNA; 50 mcg/0.5 mL dosage, for intramuscular use
A9574	Injection, ferumoxytol, 1 mg
C1609	Vertebral device, motion-preserving, with screw fixation
1026T	Transvaginal laser photobiomodulation therapy of pelvis, provided by a physician or other qualified health care professional
1027T	Percutaneous insertion or replacement of neurostimulation catheter via left subclavian or left jugular vein into the superior vena cava, with verification of capture of phrenic nerves, mapping and programming, and delivery of transvenous phrenic neurostimulation therapy in ventilated patients, with repositioning when performed, including imaging guidance
1028T	Mapping and programming of neurostimulation catheter with delivery of transvenous phrenic neurostimulation therapy in ventilated patients, with repositioning and verification of left phrenic nerve capture, per session
1029T	Mapping and programming of neurostimulation catheter with delivery of transvenous phrenic neurostimulation therapy in ventilated patients, without catheter repositioning, per session
1036T	Noninvasive hemodynamic assessment with pulmonary pressures and ejection fraction when performed, including passive acquisition of acoustic and electrical signals, augmentative algorithmic analysis, and generation of a clinical report with review, interpretation, and clinical integration by a physician or other qualified health care professional
1037T	Histotripsy (ie, non-thermal ablation via acoustic energy delivery) of malignant pancreatic tissue, including imaging guidance
1038T	Autologous muscle cell therapy, injection(s) of muscle progenitor cells into the tongue, including esophagoscopy, when performed
1039T	Connectomic analysis of previously performed multi-modal brain magnetic resonance imaging (MRI) requiring physician or other qualified health care professional (QHP) analysis of software- and physician-generated structural and functional maps for integration of cortical grey matter correlation based on restingstate functional MRI and mapping of white matter connectivity based on diffusionweighted MRI relative to brain regions, with physician or other QHP interpretation and report
1040T	Bronchoscopy, flexible, with bronchial cryotherapy, 1 lung, including trachea, when performed
1041T	Augmentative algorithmic analysis of encephalographic waveforms to identify the source and propagation of epileptiform activity, including artifact reduction with analysis of 3D localization of spike sources throughout the examination, 3D animations over time of high-amplitude event locations, high-frequency activity locations, and temporal relationships among locations, with interpretation and report by physician or other qualified health care professional, related to a previously performed electroencephalogram (EEG)
1042T	Implantation of absorbable urologic scaffold for prostatic urethra restoration of reconstructed bladder neck and urethral anastomosis (List separately in addition to code for primary procedure)
1044T	Harvest of full-thickness skin for autologous heterogeneous skin-construct graft, including direct closure of donor site; first 5 sq cm or less
1045T	each additional 5 sq cm, or part thereof (List separately in addition to code for primary procedure)
1046T	Autologous heterogeneous skin-construct graft application, trunk, arms, legs; first 50 sq cm or less, or 0.5% of body area of infants and children

1047T	each additional 50 sq cm, or each additional 0.5% of body area of infants and children, or part thereof (List separately in addition to code for primary procedure)
1048T	Autologous heterogeneous skin-construct graft application, face, scalp, eyelids, mouth, neck, ears, orbits, genitalia, hands, feet, and/or multiple digits; first 50 sq cm or less, or 0.5% of body area of infants and children
1049T	each additional 50 sq cm, or each additional 0.5% of body area of infants and children, or part thereof (List separately in addition to code for primary procedure)
1050T	Insertion, subcutaneous heart failure decompensation monitor, containing sensors that measure, at a minimum, heart rate, impedance, respiration rate, physical activity, heart sounds
1051T	Removal of subcutaneous heart failure decompensation monitor
1052T	Interrogation device evaluation(s), (in person or remote) up to 30 days, insertable subcutaneous heart failure decompensation monitor, analysis of physiologic parameters, including, at a minimum, heart rate, impedance, respiration rate, physical activity, heart sounds, with generation of a report, review and interpretation by a physician or other qualified health care professional
1053T	Programming device evaluation (in person or remote) of subcutaneous heart failure decompensation monitor, with analysis of physiologic parameters, including, at a minimum, heart rate, impedance, respiration rate, physical activity, heart sounds, with generation of a report and review and interpretation by a physician or other qualified health care professional
0636U	Babesia (Babesiosis), antibody detection of 20 recombinant protein groups, by immunoassay, IgG
0637U	Babesia (Babesiosis), antibody detection of 20 recombinant protein groups, by immunoassay, IgM
0638U	Bartonella (Bartonellosis), antibody detection of 32 recombinant protein groups, by immunoassay, IgG
0639U	Bartonella (Bartonellosis), antibody detection of 32 recombinant protein groups, by immunoassay, IgM
0640U	Oncology (leptomeningeal metastases), tumor cell selection, identification, detection and enumeration based on differential CD318(CDCP1), SUS2, CD340(erbB2/HER2), HGFR/cMET, FOLR1, EGFR, N cadherin, MUC1, EpCAM, and TROP2 antibody biomarkers, cerebrospinal fluid, reported as detection and quantification of tumor cells
0654U	Inborn error of metabolism (primary mitochondrial disease), mitochondrial analysis of 1 enzyme complex by western blot analysis, using cultured skin fibroblasts, diagnostic qualitative result
0655U	Inborn error of metabolism (primary mitochondrial disease), mitochondrial analysis of 1 enzyme complex by spectrophotometric kinetic assay, using cultured skin fibroblasts, diagnostic quantitative result
0656U	Inborn error of metabolism (primary mitochondrial disease), mitochondrial analysis of 1 enzyme complex by radioactive activity assay, using cultured skin fibroblasts, diagnostic quantitative result

Not Covered Benefit:

G0574	Management of new patient with dementia residing in an eligible residential care community, for use only in a medicare-approved cmmi model (services must be furnished within a patient's eligible residential care community, including assisted living facilities, board and care homes, or other qualifying residential settings where dementia care services are provided)
G0575	Management of established patient with dementia residing in an eligible residential care community, for use only in a medicare-approved cmmi model (services must be furnished within a patient's eligible residential care community, including assisted living facilities, board and care homes, or other qualifying residential settings where dementia care services are provided)
G0669	Outcome-aligned payment (oap) for technology-enabled chronic care management of early cardio-kidney-metabolic (eckm) conditions (hypertension, or two or more of: dyslipidemia, obesity/overweight with central obesity marker, prediabetes); initial 12-month period; per month

G0670	Outcome-aligned payment (oap) for technology-enabled chronic care management of early cardio-kidney-metabolic (eckm) conditions (hypertension, or two or more of: dyslipidemia, obesity/overweight with central obesity marker, prediabetes); follow-on 12-month period; per month
G0671	Outcome-aligned payment (oap) for technology-enabled chronic care management of cardio-kidney-metabolic (ckm) conditions (one or more of: diabetes mellitus, chronic kidney disease stage 3a or 3b, atherosclerotic cardiovascular disease); initial 12-month period; per month
G0672	Outcome-aligned payment (oap) for technology-enabled chronic care management of cardio-kidney-metabolic (ckm) conditions (one or more of: diabetes mellitus, chronic kidney disease stage 3a or 3b, atherosclerotic cardiovascular disease); follow-on 12-month period; per month
G0673	Outcome-aligned payment (oap) for technology-enabled chronic care management of musculoskeletal (msk) conditions (chronic musculoskeletal pain); initial 12-month treatment period; per month
G0674	Outcome-aligned payment (oap) for technology-enabled chronic care management of behavioral health (bh) conditions (one or more of: depression, anxiety); initial 12-month period; per month
G0675	Outcome-aligned payment (oap) for technology-enabled chronic care management of behavioral health (bh) conditions (one or more of: depression, anxiety); follow-on 12-month period; per month
G0676	Standard co-management service payment for documented review of clinical updates from access participant managing cardio-kidney-metabolic conditions (early cardio-kidney-metabolic [eckm] or cardio-kidney-metabolic [ckm] track); per review
G0677	Standard co-management service payment for documented review of clinical updates from access participant managing musculoskeletal (msk) conditions; per review
G0678	Standard co-management-management service payment for documented review of clinical updates from access participant managing behavioral health (bh) conditions (depression, anxiety); per review

Covered when prior authorized:

G0577	Vascular embolization or occlusion procedure with use of a pressure-generating catheter (e.g., one-way valve, intermittently occluding), inclusive of all radiological supervision and interpretation, intraprocedural roadmapping, and imaging guidance necessary to complete the intervention; for tumors, organ ischemia, or infarction performed in the non-facility setting
-------	--

Covered with prior authorization required via eviCore:

0631U	Oncology (solid tumor), DNA, sequence analysis of 15 genes including BRCA1 and BRCA2 for identification of clonal hematopoiesis, blood, reported as tumor-derived or nontumor-derived
0632U	Red blood cell antigen (fetal RhD gene analysis), multiplex polymerase chain reaction (PCR) and next-generation sequencing (NGS) of circulating cell-free DNA (cfDNA), plasma from pregnant individuals known to be RhD negative, reported as detected or not detected
0633U	Obstetrics (single-gene noninvasive prenatal test), cell-free DNA (cfDNA), next-generation sequencing (NGS) analysis of 1 or more targets (eg, CFTR, SMN1, HBB, HBA1, HBA2) to identify paternally inherited pathogenic variants and to determine fetal inheritance of maternal mutation, using maternal blood sample, algorithm reported as a fetal risk score
0634U	Oncology (breast cancer), cell-free DNA (cfDNA), evaluation of 11 ESR1 variants (E380Q, S463P, L536R, Y537C, Y537N, Y537S, D538G, V422del, L536H, L536P, Y537D) using droplet digital PCR (ddPCR), plasma, reported as positive or negative
0635U	Autoimmune (atopic dermatitis), mRNA, next-generation sequencing (NGS), gene expression profiling of 487 genes, noninvasive skin-surface scraping, algorithm reported as likelihood of response to therapy
0641U	Oncology (minimal residual disease [MRD]), tumor DNA, next-generation sequencing (NGS), using formalin-fixed paraffin-embedded (FFPE) tissue and blood samples, initial (baseline) assessment

0642U	Oncology (minimal residual disease [MRD]), tumor DNA, next-generation sequencing (NGS), whole blood, comparison to previously performed analyses, reported as trend in circulating tumor DNA (ctDNA) level
0643U	Oncology (genitourinary cancer), cell-free circulating tumor DNA (ctDNA), 200 genes, next-generation sequencing (NGS), interrogation for single-nucleotide variants (SNVs), insertions/deletions, gene rearrangements, copy number alterations, and tumor mutation burden, using urine, identify and report mutations with clinical actionability
0644U	Oncology (leukemia), minimal residual disease (MRD) detection for rearrangements, blood or bone marrow, personalized assay design and baseline quantification
0645U	Oncology (leukemia), minimal residual disease (MRD) detection for rearrangements, based on digital PCR, blood or bone marrow, reported as not detected or detected with estimated abundance
0646U	Oncology (molecular residual disease), whole genome sequence analysis, cell-free DNA, whole blood, and formalin-fixed paraffin-embedded (FFPE) tumor tissue DNA, baseline assessment
0647U	Oncology (molecular residual disease), whole genome sequence analysis, cell-free DNA (cfDNA), whole blood, assessment utilizing patient-specific tumor information, reported as negative or percent circulating tumor DNA (ctDNA)
0648U	Oncology (solid tumor), targeted genomic sequencing analysis, to detect deletions, insertions, and substitutions in 42 genes, copy number amplifications in 10 genes, and fusions and splice variants in 18 driver genes from DNA and RNA extracted from formalin-fixed paraffin-embedded (FFPE) tissue
0649U	Neurology (Alzheimer disease), DNA, targeted next-generation sequencing (NGS) of AD-1 and AD-2 target regions, whole blood, prognostic algorithmic analysis, reported as categorization of cognitive status
0650U	Drug metabolism (adverse drug reactions and drug response), genotyping of 9 genes (ie, CYP2D6, CYP2C19, G6PD, SLCO1B1, HLA-B*58:01, NAT2, CYP2C9, VKORC1, ABCG2), reported as metabolizer status and transporter function
0651U	Oncology (hereditary cancer), genomic DNA, 55 hereditary cancer pre-dispositioned genes, next-generation sequencing (NGS) and digital multiplex ligation-dependent probe amplification for variants, small indels (<40 base pairs), using saliva, whole blood or nail clipping, interpretive clinical report with variant classification
0652U	Drug metabolism (adverse drug reactions), DNA analysis of 13 genes by targeted genotyping, using saliva or buccal swab, reported as diplotype and metabolizer status
0653U	Nephrology (inherited kidney disorders), DNA, analysis of approximately 700 genes associated with inherited kidney diseases by exome sequencing, using whole blood, saliva, or nail clipping, reported as an interpretive clinical report classifying pathogenic and likely pathogenic variants
0657U	Rare diseases (constitutional/heritable disorders), rapid whole genome sequence analysis of comparator nuclear and mitochondrial DNA by next-generation sequencing (NGS), using blood or buccal sample, relevant variants reported with proband results
0658U	Rare diseases (constitutional/heritable disorders), rapid whole genome sequence analysis of nuclear and mitochondrial DNA by next-generation sequencing (NGS) for single-nucleotide variants (SNVs), insertions/deletions, copy number variants, uniparental disomy, and repeat expansions, using blood or buccal sample, identification and categorization of genetic variants

0659U	Rare diseases (constitutional/heritable disorders), ultrarapid whole genome sequence analysis of nuclear and mitochondrial DNA by next-generation sequencing (NGS) for single-nucleotide variants (SNVs), insertions/deletions, copy number variants, uniparental disomy, and repeat expansions, using blood or buccal sample, identification and categorization of genetic variants
-------	--

Covered with no prior authorization required

C8014	Cystourethroscopy, with ureteroscopy and/or pyeloscopy, with lithotripsy, including use of a suction enabled ureteral access sheath, with irrigation (if performed)
M0231	Intravenous infusion, tocilizumab-bavi, for hospitalized adult patients with COVID-19 who are receiving systemic corticosteroids and require supplemental oxygen, noninvasive or invasive mechanical ventilation, or extracorporeal membrane oxygenation (ECMO) only, includes infusion and post administration monitoring, first dose
M0232	Intravenous infusion, tocilizumab-bavi, for hospitalized adult patients with COVID-19 who are receiving systemic corticosteroids and require supplemental oxygen, noninvasive or invasive mechanical ventilation, or extracorporeal membrane oxygenation (ECMO) only, includes infusion and post administration monitoring, second dose
87638	Infectious agent detection by nucleic acid (DNA or RNA); rubeola (measles) virus effective 5/15/2026